



SCALE 1" = 20'

Notes:

1. City of Mesa will bring sanitary sewer and water to property line as shown. Owner will run services into building.
2. City of Mesa will run gas service to front corner of building as shown. Owner to provide connection from this point to building.
3. Electric Service to be located by owner, or his agent, at the time of construction.
4. Plan position of above utilities and proposed new building shown as directed by owner. All construction requirements to be fulfilled by others.

CERTIFICATE:
This will certify that the utilities and proposed new building were positioned hereon, according to the owners instructions, by me or under my supervision with the stipulations noted above.

Russell C. Dorlette Jr.
5-7-70

BENCH MARK: Elevation = 1221.35 - Brass Cap On Irr. Stru. N.W. Cor. Intersection Southern Ave & Mesa Drive.

Note: Owner to pave parking Area from back of Sidewalk to Rear Line of prop. Bldg.

Suggested Paving: (1) Compacted Sub-grade
(2) 4" A.B.C.
(3) 2" Asph. Conc. - Single Course - 3/8" Fine

Above material to conform to City of Mesa Stds

[1218.33] New Finished Site or Lot Paving Grade
(1217.9) Exist. Grade
Note: Hold Fill within Site or Property Lines

This will certify that the field work for the [illegible] shown hereon was done during the month of March 1970.

Eugene [illegible]

TOPOGRAPHY

DIN # 58400-2

L-70-1584 SHEET 2 OF 2