

Note: Owner to pave parking Area from back of Sidewalk to Rear Line of prop. Bldg.

Suggested Paving: (1) Compacted Sub-grade
(2) 4" A.B.C.
(3) 2" Asph. Conc. - Single Course - 3/8" Fine

Above material to conform to City of Mesa Stds

1218.33 New Finished Site or Lot Paving Grade

1217.9 Exist. Grade

Note: Hold Fill within Site or Property Lines

Notes:

1. City of Mesa will bring sanitary sewer and water to property line as shown. Owner will run services into building.
2. City of Mesa will run gas service to front corner of building as shown. Owner to provide connection from this point to building.
3. Electric Service to be located by owner, or his agent, at the time of construction.
4. Plan position of above utilities and proposed new building shown as directed by owner. All construction requirements to be fulfilled by others.

CERTIFICATE:
This will certify that the utilities and proposed new building were positioned hereon, according to the owners instructions, by me or under my supervision with the stipulations noted above.

Russell C. Dudley
CERTIFICATE OF REGISTRATION
RUSSELL C. DUDLEY
REGISTERED
ARIZONA, U.S.A.
Reg. No. 5170

N

SCALE 1" = 20'

BENCH MARK: Elevation = 1221.35 - Brass Cap On Irr. Stru. N.W. Cor. Intersection Southern Ave & Mesa Drive.

This will certify that the field work for the topo. shown hereon was done during the month of March 1970.

Eugene Shelley
REGISTERED LAND SURVEYOR
EUGENE A. SHELLEY
ARIZONA

TOPOGRAPHY

DIN # 58409-2

L-70-1584 SHEET 2 OF 2