FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS
7	ARIZ.	NON F.A. 98-A (53)	1	19
7	ARIZ.	F.I. 98 (21)	1	37

FED. ROAD DIV. NO.	STATE	PROJ. No.	SHEET No.	TOTAL SHEETS
	ARIZ.	F. 98 (18)	1	30
7	ARIZ.	NON F.A. 98A (52)	1	3
7	ARIZ.	F.I. 98 (20)	1	—

FED. ROAD DIST. NO.	STATE	PROJ. NO.	SHEET NO.
7	ARIZ.	F 138(6)	
7	ARIZ.	F.I. 1(4)	

STATE OF ARIZONA
STATE HIGHWAY DEPARTMENT

PLAN AND PROFILE OF PROPOSED

STATE HIGHWAY
EHRENBERG TO WICKENBURG
YUMA & MARICOPA CO

[redacted] PROJECT NO. [redacted]

F.I. 98 (21)

AS BUILT

PLANS DIVISION
JUL 28 1955
FILE COPY

PLANS DIVISION
JUL 28 1955
FILE COPY

INDEX OF SHEET

	SHEET NO.
TITLE PAGE	1
INDEX PAGE	2
DETAILS	TO
PLAN & PROFILE	3 11
BRIDGES	12 19
CROSS SECTIONS	20 60





N

SCALE 1 INCH = 5 MILES

CONVENTIONAL SIGNS

- STATE AND NATIONAL LINE
- COUNTY LINE
- CITY, VILLAGE OR BOROUGH
- TOWNSHIP LINE
- SECTION LINE
- GRANT LINE
- FENCE LINE
- GUARD RAIL
- UNFENCED PROPERTY
- RIGHT OF WAY LINE
- TRAVELED WAY
- RAILROAD
- RETAINING WALL
- BASE OR SURVEY LINE
- ROAD TRAFFIC SIGNS
- LEVEE
- CULVERT
- DROP INLET
- TROLLEY POLE
- POWER POLE
- TELEPHONE AND TELEGRAPH POLES
- MARSH
- HEDGE
- BRIDGE
- GRADE LINE
- GROUND LINE
- SECTION CORNER (FOUND)
- R/W LINE MARKERS
- ROUNDING OF SLOPE INT.

ARIZONA STATE HIGHWAY COMMISSION
APPROVED WILLIAM E. WILLEY
STATE HIGHWAY ENGINEER

DATE _____ DEP. STATE ENGINEER
RECOMMENDED FOR APPROVAL

DATE _____ DISTRICT ENGINEER
RECOMMENDED FOR APPROVAL

DATE _____ BRIDGE ENGINEER
RECOMMENDED FOR APPROVAL

DATE _____ ENGINEER OF PLANS

DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS
APPROVED _____ DATE _____
DISTRICT ENGINEER

DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	A.I. 98 (21)	3	37	Horiz. as of 7-13-55



B.M.# 171 - 100' Rt. Sta. 1710+00
Iron Pin & Guard Elev. 2180.55

B.M.# 172 - 100 Rt. Sta. 1720+00
Iron Pin & Guard Elev. 2183.85

B.M.# 173 - 100' Rt. Sta. 1730+00
Iron Pin & Guard Elev. 2186.13



DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98(21)	4	37	Your Acc't 7-13-55

N

T 7 N - R 9 W

T 7 N - R 8 W

F.A.P. 98-B = "OL" Line

1733+80.7 Pi. 22+19.3

1735 1740 1745 1750 1755 1760 1765

TO CONGRESS JCT.

Sta. 9+50 "OL" Line - In Place
2-6'x3'x39' Conc. Box

S.C. "OL" Line 6+00

Lt. Sta. 1743+00 to Sta. 1765+00
Reconst. 2200' Line Fence & Gates

POT 1750+00

7.5' Rt. Sta. 1753+84.58
New Monument & Cover
Std. C-1

Sec. Cor. Found
2" Pipe With Cap

14' Gate

POT 1760+00

114'

Const. ℄

Survey Line

See. Line

S. 89° 52' 25" E

N 89° 56' 20" E

13 18 24 19

14.13'

40.5'

86'

M.P. 86

12' Gate

14' Gate

3' Gate

Corral

Sta. 1760+25 - In Place
1" Water Line to trough
To Remain

3'-12' Conc. Trough

Rt. Sta. 1735+00 to 1765+00
Reconst. 3000' Line Fence & Gates

POT 1740+00

100' ℄ 200' Rt. Sta. 1753+84.51
Ref. Pt. on Sect. Line, Iron Pipe

EQUATION
1753+84.58 ℄ Line Bk. =
1753+80.70 ℄ As Built Ahd.
Δ 0°11'15" Lt.

¼ Cor. Found 1" Pipe with Cap - U.S.G.L.O. 1911

REDUCED SIZE
DO NOT SCALE

B.M.# 174 - 100' Rt. Sta. 1740+00
Iron Pin & Guard Elev. 2188.00

B.M.# 175 - 100' Rt. Sta. 1750+00
Iron Pin & Guard Elev. 2191.58

B.M.# 176 - 100' Rt. Sta. 1760+00
Iron Pin & Guard Elev. 2194.64

1753+84.58 ℄ Line Bk. = 1753+80.70 ℄ As Built Ahd.

EQUATION
Long Sta. 3.88'
Sta. 1753 to 1754 = 103.88'

2200

2190

Haul 696.4 C.Y. Bor. From Pit
1200' Rt. Sta. 1734+00

	Exc.	213.8 C.Y.
20%	Shr.	42.8 "
	Bor.	696.4 "
15%	Shr.	104.5 "
	Emb.	762.9 "

Haul 1975.8 C.Y. Bor. From Pit
1200' Rt. Sta. 1734+00

	Exc.	83.7 C.Y.
20%	Shr.	17.9 "
	Bor.	1975.8 "
15%	Shr.	296.4 "
	Emb.	1751.2 "

DIN# 61400-1

1735 36 37 38 39 1740 41 42 43 44 1745 46 47 48 49 1750 51 52 53 54 54 1755 56 57 58 59 1760 61 62 63 64 1765

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F-L 98 (21)	5	37	Northerly 7-13-55

1765 1770 1775 1780 1785 1790 1795

P.O.T. 1770+00

P.O.T. 1780+00

P.O.T. 1790+00

Lt Sta 1765+00 to 1795+00
Reconst. 2970' Line Fence & Gates

Const. ℄

Survey Line

Sec. Line

N 89° 56' 20" E

114'

48.5'

86'

Rt. Sta. 1765+00 to 1795+00
Reconst. 2970' Line Fence & Gates

New 10'-4"-500' Dike - Type A

Sta. 1791+00 to 1791+88.33
New 8-10'x4'x11'-0" Conc. Box
See Bridge Sheets

300' Paved Gravel Ford
1'x4' Conc. Wall Rt.

New 10'-3"-500' Dike - Type B

Flow

REDUCED SIZE
DO NOT SCALE

MP 89.5
25' N. R/W

B.M.# 177 - 100' Rt. Sta. 1770+00
Iron Pin & Guard Elev. 2197.00

B.M.# 178 - 100' Rt. Sta. 1780+00
Iron Pin & Guard Elev. 2199.56

B.M.# 179 - 100' Rt. Sta. 1790+00
Iron Pin & Guard Elev. 2202.98

D.A. on Lt. = 16.203 Sq. Mi.
C = 0.4

600' V.C.

2202.20

+0.173 %

2202.72
+0.32

+0.66 %

2208.00
-0.30

600' V.C.

Level

2210

2200

New Type A Dike - 1180 C.Y.

New Type B Dike - 1200 C.Y.

Sta. 1791+00 to 1791+88.33
New 8-10'x4'x11' Conc. Box
See Br. Sheets
480 C.Y. Chan. Exc.

Haul 2857.9 C.Y. Bor. from Pit
1200' Rt. Sta. 1734+00

Exc. 87.1 C.Y.
20% Shr. 17.4 "
Bor. 2857.9 "
15% Shr. 428.7 "
Emb. 2498.9 "

Haul 5815.8 C.Y. Bor. From Pit
2700' Rt. Sta. 1829+00

1765 66 67 68 69 1770 71 72 73 74 1775 76 77 78 79 1780 81 82 83 84 1785 86 87 88 89 1790 91 92 93 94 1795

DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.L.98 (21)	6	37	Nov. Dec. 7-13-55

1795 1800 1805 1810 1815 1820 1825

POT. 1800+00 POT. 1810+00 POT. 1820+00

1805+74.82 4° 00' 50" Rt.

7.5' Rt. Sta. 1805+74.82
New Monument & Cover
Std. G-1

Sec. Cor. Found
2" Pipe with Cap

Lt. Sta. 1795+00 to 1825+00
Reconst. 3000' Line Fence & Gates

18 17 19 20

Const. ℄

Survey Line

Sec. Line

N 89° 56' 20" E

N 89° 57' 10" E

M.P. 87

114' 49.5' 86' 114' 44.5' 86'

Rt. Sta. 1805+42 - In Place
8'-16' Wood Rail Cattle Guard
To Remain

100' & 200' Rt. Sta. 1805+74.82
Ref. Pt. on Sec. Line, Iron Pin

N 0° 04' 20" W
2644.39

¼ Cor. Found 1" Pipe with Cap - Not in Place - U.S.G.L.O. 1911

Rt. Sta. 1795+00 to 1825+00
Reconst. 3000' Line Fence & Gates

REDUCED SIZE
DO NOT SCALE

B.M. #180 - 100' Rt. Sta. 1800+00
Iron Pin & Guard Elev. 2204.74

B.M. #181 - 110' Rt. Sta. 1810+00
Iron Pin & Guard Elev. 2208.18

B.M. #182 - 120' Rt. Sta. 1820+00
Iron Pin & Guard Elev. 2210.75

600' V.C.

Level

+0.40 %

2209.20

2208.00
+0.30

2214.60

+0.343 %

800' V.C.

2210

2200

20% Exc. 64.6 C.Y.
Shr. 12.9 "
Bor. 5815.8 "
20% Shr. 1163.2 "
Emb. 4704.3 " (Inc'ls Dike)

20% Exc. 177.5 C.Y.
Shr. 35.5 "
Bor. 5010.4 "
20% Shr. 1014.1 "
Emb. 4198.3 " (Inc'ls Dikes)

1795 96 97 98 99 1800 1 2 3 4 1805 6 7 8 9 1810 11 12 13 14 1815 16 17 18 19 1820 21 22 23 24 1825

PLATE 1 PLAN PROFILE STANDARD

7 F.L. 98(21)

DIN# 61400-1

HRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98(21)	7	37	Mod. Sept. 7-13-55



REDUCED SIZE
DO NOT SCALE

B.M.#182-A - 35' Lt. Sta. 1826+02
Iron Pin & Guard Elev. 2214.33 "L" Line - 2214.04 "As Built"

B.M.#183 - 100' Rt. Sta. 1830+00
Iron Pin & Guard Elev. 2213.34

B.M.#184 - 125' Lt. Sta. 1840+00
Iron Pin & Guard Elev. 2216.72

B.M.#185 - 100' Rt. Sta. 1850+00
Iron Pin & Guard Elev. 2220.93



DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98(21)	8	37	Northcott 9-13-55

1855 1860 1865 1870 1875 1880 1885

Lt. Sta. 1855+00 to 1858+57.16
Reconst. 383' Line Fence

1858+57.16
0°00'25" Rt.

Sec. Cor. Found
2" Pipe with Cap

Exist. Fence on Lt. to Remain
Sta. 1858+57.16 to 2043+34

POT. 1870+00

POT. 1880+00

17 16 20 21

Const. ℄
Survey Line ℄
Sec. Line

N 89°57'10" E
N 89°57'35" E

114'
64'
48.5'
41.0'
86'
64'
48.5'
86'

7.5' Rt. Sta. 1858+57.16
New Monument & Cover
Std. C-1

100' & 200' Rt. Sta. 1858+57.16
Ref. Pt. on Sec. Line, Iron Pin

N 0°01'45" W
2624.73'

Rt. Sta. 1855+00 to 1885+00
Reconst. 3000' Line Fence

REDUCED SIZE
DO NOT SCALE

¼ Cor. Found - 1" Pipe with
Cap - U.S.G.L.O. 1911

B.M.#186 - 100' Rt. Sta. 1860+00
Iron Pin & Guard Elev. 2224.14

B.M.#187 - 110' Rt. Sta. 1870+00
Iron Pin & Guard Elev. 2226.50

B.M.#188 - 110' Rt. Sta. 1880+00
Iron Pin & Guard Elev. 2228.87

2226.40
+0.30%
2228.50
2231.61
+0.31%
+0.70%
800' V.C.
2232.85
+0.59
2230
2220

Haul 528.0 C.Y. Bor. From
Pit 400' Rt. Sta. 1880+00

Haul 1282.0 C.Y. Bor. From
Pit 400' Rt. Sta. 1880+00

Exc. 145.8 C.Y.
20% Shr. 29.2 "
Bor. 1282.0 "
20% Shr. 256.4 "
Emb. 1142.2 "

1855 56 57 58 59 1860 61 62 63 64 1865 66 67 68 69 1870 71 72 73 74 1875 76 77 78 79 1880 81 82 83 84 1885

DIN# 61400-1

HRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98 (21)	9	37	PLOTTED 7-15-55

1885 1890 1895 1900 1905 1910 1915

P.O.T. 1890 ± 00

325' Gravel Ford In Pl
1'-4" Conc. Wall Rt

New 10'-2"-400' Type B Dike

Sta. 1895 ± 30.83 – 1896 + 19.16
New 8-10'-4"x4'-0" Conc. Box
See Bridge Sheets

P.O.T. 1900 ± 00

14' Gate

1/4 Cor. Found – 1" Pipe with Cap – U.S.G.L.O. 1911

Sec. Cor. Not Found – Reset with Hub & Tack From 1/4 Cor. North

1911 ± 38.35 — 2639.27'

P.O.T. 1911 ± 38.85

7.89' Rt. Sta. 1911 + 38.35
New Monument & Cover
Std. C-1

64'
48.5'
86'
Sec. Line
Const. ℄
Survey Line
N 89°57'35"E
M.P. 89
16
15
21
22
44'
34'
48.5'
N 89°57'35"E
Exist. Fence on Rt. to Remain
Sta. 1911 + 38.35 to 1964 + 09.98

Rt. Sta. 1885 + 00 to 1911 + 38.35
Reconst. 2635' Line Fence & Gates

New 10'-2'-300' Type B Dike

100' & 200' Rt. Sta. 1911 + 38.35
Ref. Pt. on Sec. Line; Iron Pin

N 0°01'25" W
2643.01'

REDUCED SIZE
DO NOT SCALE

B.M. # 189 – 100' Rt. Sta. 1890 + 00
Iron Pin & Guard Elev. 2233.45

B.M. # 189-A – 39' Lt. Sta. 1894 + 82
Brass Cap on Hdwl. of Dip
Level Eqva.: 2232.19 "L" Line =
2275.80 "As Built"

B.M. # 190 – 100' Rt. Sta. 1900 + 00
Iron Pin & Guard Elev. 2236.05

B.M. # 191 – 12.0' Lt. Sta. 1910 + 00
Iron Pin & Guard Elev. 2239.32

D.A. on Lt. = 6.905 Sq. Mi.
C = 0.4 Req'd. 338 Sq. Ft.

800' V.C.

+0.70 %

2239.85
+1.05

New Type B Dike – 390 C.Y.

1200' V.C.

New Type B Dike – 400 C.Y.

Sta. 1895 ± 30.83 – 1896 + 19.16
New 8-10'-4"x4'-0" Conc. Box
See Br. Sheet-B
120 C.Y. Chan. Exc.

Level

800' V.C.

+0.288 %

2241.00

2239.85
+0.26

2240

2230

66.25.07
+0.39

Haul 8718.5 C.Y. Bor. from
Pit 400' Rt. Sta. 1880 + 00

Exc. 21.3 C.Y.
20% Shr. 4.3 "
Bor. 8718.5 "
20% Shr. 1743.7 "
Emb. 6991.8 " (Incl's. Dikes)

Exc. 419.1 C.Y.
20% Shr. 83.8 "
Emb. 335.3 "

DIN# 61400-1

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98 (21)	10	37	Herlocker 7-13-55

EHRENBERG - WICKENBURG HWY.

MARICOPA COUNTY



B.M.# 192 - 120' Lt. Sta. 1920+00
Iron Pin & Guard Elev. 2243.49

B.M.# 193 - 120' Lt. Sta. 1930+00
Iron Pin & Guard Elev. 2248.91

B.M.# 194 - 120' Lt. Sta. 1940+00
Iron Pin & Guard Elev. 2253.99

2260
2250
2240

Haul 647.6 C.Y. Bor. From
Pit 600' Rt. Sta. 1961+00

Exc. 242.7 C.Y.
20% Shr. 48.5
Bor. 647.6
15% Shr. 97.1
Emb. 744.7

REDUCED SIZE
DO NOT SCALE

DIN# 61400-1

RENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98(21)	11	37	Modified F-13-55



REDUCED SIZE
DO NOT SCALE

B.M.# 195 - 120' Lt. Sta. 1950+00
Iron Pin & Guard Elev. 2259.74

B.M.# 196 - 125' Lt. Sta. 1960+00
Iron Pin & Guard Elev. 2265.34

B.M.# 197 - 125' Lt. Sta. 1970+00
Iron Pin & Guard Elev. 2272.26



Exc. 248.7 C.Y.
20% Shr. 49.7 "
Bor. 645.9 "
15% Shr. 96.9 "
Emb. 748.0 "

Exc. 100.9 C.Y.
20% Shr. 20.2 "
Bor. 350.1 "
15% Shr. 52.5 "
Emb. 378.3 "

DIN# 61400-1

HRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98 (21)	12	37	Norther 7-13-55



REDUCED SIZE
DO NOT SCALE

B.M.# 198 - 125' Lt. Sta. 1980+00
Iron Pin & Guard Elev. 2279.14

B.M.# 199 - 125' Lt. Sta. 1990+00
Iron Pin & Guard Elev. 2285.54

B.M.# 200 - 125' Lt. Sta. 2000+00
Iron Pin & Guard Elev. 2293.23



Haul 154.4 C.Y. Bor. From
Pit 600' Rt. Sta. 1961+00

	Exc.	155.2 C.Y.
20%	Shr.	31.0 "
	Bor.	154.4 "
15%	Shr.	23.2 "
	Emb.	255.4 "

	Exc.	142.0 C.Y.
20%	Shr.	28.4 "
	Bor.	423.6 "
15%	Shr.	63.5 "
	Emb.	423.6 "

DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98(21)	13	37	Hurlburt 7-14-33





REDUCED SIZE
DO NOT SCALE

DIN# 61400-1

EHRENBERG – WICKENBURG HWY.

MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98(21)	14	37	Nov 15-57 To 7-15-58





REDUCED SIZE
DO NOT SCALE

DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ	F.I. 98 (21)	15	37	Worberg 7-10-55



REDUCED SIZE
DO NOT SCALE

B.M. #206 - 67' Lt. Sta. 2064+65
Brass Cap on N. Hdwl. of Structure
2343.40 "L" Line -
2383.10 "As Built"

¼ Cor. Found Pipe & Cap - U.S.G.L.O. 1911

B.M. #207 - 125' Lt. Sta. 2070+00
Iron Pin & Guard - Elev. 2344.32

B.M. #208 - 125' Lt. Sta. 2080+00
Iron Pin & Guard Elev. 2350.42

B.M. #209 - 125' Lt. Sta. 2090+00
Iron Pin & Guard Elev. 2362.22



Exc. 139.2 C.Y.
20% Shr. 27.8 "
Emb. 111.4 "

Exc. 300.7 C.Y.
20% Shr. 60.1 "
Emb. 240.6 "

DIN# 61400-1

IRENBERG – WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ	F.I. 98(21)	16	37	Nov. 14 to 7-14-55



B.M.# 210 – 125' Lt. Sta. 2100+00
Iron Pin & Guard Elev. 2369.56

B.M.# 210-B – 70' Lt. Sta. 2105+05
Brass Cap N. Hdwl. of Structure
Elev. 2375.11 "L" Line =
Elev. 2414.18 "As Built"

B.M.# 211 – 125' Lt. Sta. 2110+00
Iron Pin & Guard Elev. 2374.77

B.M.# 212 – 125' Lt. Sta. 2120+00
Iron Pin & Guard Elev. 2387.13

D.A. on Rt = 2.734 Sq. Mi.
C = 0.4 Req. 110 C.F.S.



Exc. 90.1 C.Y.
20% Shr. 18.0 "
Emb. 588.4 " (Incls Dike)
From Drain Exc. 145.6 "
20% Shr. 129.1 "

Exc. 221.2 C.Y.
20% Shr. 44.2 "
Emb. 663.6 "
From Drain Exc. 108.3 "
20% Shr. 121.7 "

REDUCED SIZE
DO NOT SCALE

DIN# 61400-1

RENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98 (11)	17	37	Hat/Ber/ 7-12-57

N

2125 2130 2135 2140 2145 2150 2155

7.5' Rt. Sta. 2128+93.87
New Monument & Cover
Std. C-1

Sta. 2126+83.39 - 2127+27.56
4 - 10'x3'x29'4" Conc. Box
Ext. Rt. 12'-6" - See Br. Sheets

2128+93.87
Δ 0°11'25" Lt.

Sec. Cor. Found Pipe & Cap - U.S.G.L.O. 1911

P.O.T. 2140+00

1/16 Sec. Line

P.O.T. 2150+00

15' Gate

18 17 19 20

Const. ℄
Survey Line

S 89°57'30" E

N 89°51'05" E

S 0°05'55" E 2640.97

1/4 Cor. Found Pipe & Cap - U.S.G.L.O. 1911

New 50' Bank Prot. Type B, Std. C-23

10'x2'x100' Dike B, Std. C-4

Sign

B.M.# 213 - 125' Lt. Sta. 2130+00
Iron Pin & Guard Elev. 2388.94

B.M.# 214 - 125' Lt. Sta. 2140+00
Iron Pin & Guard Elev. 2396.86

B.M.# 215 - 125' Lt. Sta. 2150+00
Iron Pin & Guard Elev. 2403.36

D.A. on Rt. = 1.098 Sq. Mi.
C.O.C. Reg. 87 Sq. Ft.

Sta. 2126+83.39 - 2127+27.56
4 - 10'x3'x29'4" Conc. Box
Ext. Rt. 12'-6" - See Br. Sheets
54 C.Y. Chan. Exc.

New 54'x4'x100' Dia. Channel
100 C.Y. Chan. Exc. (Incl. in Roxy Quantities)

800' V.C.

+0.075%

+0.74%

2396.30

2392.60
+0.82

2410
2400
2390

New Type B Dike - 200'

New 50' Type B Bank Protection

Haul 529.6 C.Y. Bor. From Pit 1200' Rt. Sta. 2115+00

Exc. 64.2 C.Y.
20% Shr. 12.8 "
Bor. 529.6 "
20% Shr. 105.9 "
Emb. 1275.1 " (Incls Dike)
From Drain Exc. 1000.0 "
20% Shr. 200.0 "

Haul 592.8 C.Y. Bor. From Pit 1200' Rt. Sta. 2115+00

Exc. 109.8 C.Y.
20% Shr. 22.0 "
Bor. 592.8 "
20% Shr. 118.6 "
Emb. 562.0 "

Exc. 84.4 C.Y.
20% Shr. 16.9 "
Emb. 797.8 " (Incls Dike)
From Drain Exc. 912.9 "
20% Shr. 182.6 "

REDUCED SIZE
DO NOT SCALE

DIN# 61400-1

HRENBERG – WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98(21)	18	37	Harbert 7-13-55

N

2155 2160 2165 2170 2175 2180 2185

Sta. 2157+44.08–2158+09.91
C – 10'-4" × 7'-4" Conc. Box-In Pl.
Ext. Rt. 11'-9" – See Br. Sheets

POT. 2160+00

Sta. 2165+80–2166+13.33
New 3–10'-4" × 41'-0" Conc. Box – See Br. Sheets

POT. 2170+00

POT. 2180+00

Sta. 2182+08 to 2185+00
Reconst. 292' Line Fence

Paved Rd.

15' Gate

Const. ℄
Survey Line
N 89°51'05" E
N 89°57'40" E
93°59'20"
M.P. 94
Sign
Sign
Sepr. Line

89'
61'
44.5'
13.6' Gate
200'
48.5'

B.G. Gate
Fr. Garage
Cabins
Frame & Rock Res. & Cafe
2 Pumps
Cabins
FOREPAUGH ?

17 16
21 20
21 81+74.99
40°06'33" Rt.
30' R
30' R
Sec. Cor. Fd. Pipe & Cap – U.S.G.L.O. 1911

Fr. House
Frame House
Shed
7.5' Rt. Sta. 2181+74.99
New Monument & Cover
Std. C-1

8' Cattle Guard
10' Gate

New 75' Bank Protection
Type B, Std. C-23

New 10'×3'×150' Dike
Type B, Std. C-4

New 80' Bank Protection
Type B, Std. C-23

New 10'×3'×80' Dike
Type B, Std. C-4

U.S.C. & G. Az. Marker
PALO 1948

19.34'
180.66'
R.P.
200.00'
R.P.

S 0°05'40" E
2642.16

¼ Cor. Found Pipe & Cap – U.S.G.L.O. 1911

REDUCED SIZE
DO NOT SCALE

B.M. # 215-B – 70' Lt Sta. 2157+77
Brass Cap N. Hdwl. of Structure
"L" 2410.72 "L" Line = L 2410.53 "As Built"

B.M. # 216 – 125' Lt Sta. 2160+00
Iron Pin & Guard Elev. 2407.67

B.M. # 217 – 125' Lt Sta. 2170+00
Iron Pin & Guard Elev. 2413.62

B.M. # 218 – 100' Rt Sta. 2180+00
Iron Pin & Guard Elev. 2422.39

D.A. on Rt = 8.079 Sq. Mi.
C = 0.6 Req. 345 Sq. Ft.

Lt. Sta. 2181+90
New 30"×30" M.B.S. Turnout

2430
2420
2410

2410.50

Sta. 2157+44.08–2158+09.91
C – 10'-4" × 7'-4" Conc. Box-In Pl.
Ext. Rt. 11'-9" – See Br. Sheets
Sta. 2157+77 "L" Line
Elev. 2410.72
Elev. 2410.53 "As Built"
70.72 – 500% Chan. Excav.
Sta. 2158+09.91
Elev. 2408.89
Elev. 2408.68
1160 C.Y. Chan. Exc.

70.72 – 500% Chan. Excavation (Including Ditch & Ramp Quantities)
1160 C.Y. Chan. Exc. (Incl. Ditch & Ramp Quantities)

Sta. 2165+80–2166+13.33
New 3–10'-4" × 41'-0" Conc. Box – See Br. Sheets
See Bridge Sheets
30 C.Y. Chan. Exc.

+0.535%

New Type B Dike – 3'×4' C.Y. Concrete
New Type B – 75' Bank Protection
New Type B Dike – 2'×6' C.Y. Concrete
New 80' Type B Bank Protection

Haul 5972.7 C.Y. Bor. From Pit 600' Rt. Sta. 2187+00

Haul 613.5 C.Y. Bor. From Pit 600' Rt. Sta. 2187+00

Exc.	C.Y.
Bor.	6474.1 "
15% Shr.	971.1 "
Emb.	5972.7 " (Incls. Dike)
From Drain. Exc.	587.1 "
20% Shr.	117.4 "

Exc.	86.7 C.Y.
20% Shr.	17.3 "
Bor.	613.5 "
15% Shr.	92.0 "
Emb.	590.9 "

DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98(21)	19	37	Not Bid 7-18-55



B.M. # 219 - 150' Rt. Sta. 2190+00
Iron Pin & Guard Elev. 2429.82

B.M. # 219-B - 70' Lt. Sta. 2195+05
Brass Cap N. Hdwl. of Structure
Elev. 2434.91 "Lt. Line"
Elev. 2474.19 "As Built"

B.M. # 220 - 135' Lt. Sta. 2200+00
Iron Pin & Guard Elev. 2434.76

B.M. # 221 - 125' Lt. Sta. 2210+00
Iron Pin & Guard Elev. 2440.16

REDUCED SIZE
DO NOT SCALE



DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98 (21)	20	37	Nov. 1954 to Sept. 1955

N

2215 2220 2225 2230 2235 2240 2245

200' 200' 48.5'

P.O.T. 2220+00

P.O.T. 2230+00

7.5' Rt. Sta. 2234+61.78
New Monument & Cover
Std. C-1

2234+61.78
Δ 0°08'20" Lt.

P.O.T. 2240+00

Sec. Cor. Found Pipe & Brass Cap. - U.S.G.L.O.

16 15

Const. ℄

▼ M.P. 95

Survey Line

BEARING EQUATION: N 89°57'40" E Bk. =
S 89°57'12" E Ahd.

41.6

N 89°54'28" E

21 22

N 0°01'28" E
2639.36

1/4 Cor. Found Pipe & Brass Cap - U.S.G.L.O.

B.M. # 222 - 125' Lt. Sta. 2220+00
Iron Pin & Guard Elev. 2445.47

B.M. # 223 - 125' Lt. Sta. 2230+00
Iron Pin & Guard Elev. 2453.54

B.M. # 224 - 125' Lt. Sta. 2240+00
Iron Pin & Guard Elev. 2460.39

REDUCED SIZE
DO NOT SCALE

2470
2460
2450

20% Exc. 488.6 C.Y.
Shr. 97.3 "
Emb. 389.3 "

20% Exc. 263.5 C.Y.
Shr. 52.7 "
Emb. 210.8 "

DIN# 61400-1

HRENBERG – WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98 (21)	21	37	Yuri Barr 7-12-55





REDUCED SIZE
DO NOT SCALE

DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I. 98(21)	22	37	Her Sheet 7-16-52

N

2275 2280 2285 2290 2295 2300 2305

P.O.T. 2280+00

7.5' Rt Sta. 2287+38.91
New Mon. & Cover-Std. C-1

2287+38.91
4 0°00' 48" Rt.

Sec. Cor. Found Pipe & Brass Cap-U.S.G.L.O.

P.O.T. 2290+00

Sta. 2293+79 -In Place
2-6'×3'×29.5' Conc. Box
Ext. Rt. 13'-9" -See Br. Sheets

P.O.T. 2300+00

200' 200' 200' 200'

445' 445'

Const. ℄

Survey Line

N 89° 54' 28" E

N 89° 55' 16" E

40'

15 14 22 23

N 0°00' 39" W
2639.67

¼ Cor. Found Pipe & Brass Cap

New 10'×2'×200' Dt. & Dike

REDUCED SIZE
DO NOT SCALE

B.M.# 228 - 100' Lt. Sta. 2280+00
Iron Pin & Guard Elev. 2492.09

B.M.# 229 - 100' Lt. Sta. 2290+00
Iron Pin & Guard Elev. 2503.36

B.M.# 230 - 100' Lt. Sta. 2300+00
Iron Pin & Guard Elev. 2508.74

D.A. on Rt = 0.815 Sq. Mi.
C = 0.16 Reg. 23 Sq. Ft.

2520
2510
2500

+0.823 %

2289.90

Sta. 2293+79 -In Place
2-6'×3'×29.5' Conc. Box
Ext. Rt. 13'-9" -See Br. Sheets

New 10'×2'×200' Dt. & Dike

Haul 2852.8 C.Y. Bor. From
Pit -600' Rt. Sta. 2293+00

Haul 1624.8 C.Y. Bor. From
Pit -600' Rt. Sta. 2233+00

Exc. 155.7 C.Y.
20% Shr. 31.1 "
Bor. 1624.8 "
15% Shr. 23.3 "
Emb. 150.5 "

DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS
7	ARIZ	FI. 98(21)	23	37



REDUCED SIZE
DO NOT SCALE



DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS	AS BUILT
7	ARIZ.	F.I.98(21)	24	37	Not Used 7-14-55

N

2335 2340 2345 2350 2355 2360 2365

200' 200' 48.5' 48.5' 200' 200'

P.O.T. 2340+00
P.O.T. 2340+19.65

7.5' Rt. Sta. 2340+19.65
New Monument & Cover
Std. C-1

Sec. Cor. Found Pipe & Brass Cap - U.S.G.L.O. 1914

14 13 23 24

N 89°55'16" E N 89°55'16" E

Sta. 2347+94.25-2348+16.75
2-10'×3'×29'-6" Conc. Box-In Pl.
Ext. Rt. 12'-3" - See Br. Sheets

P.O.T. 2350+00

Sta. 2358+32.92-2358+77.08
4-10'×3'×29'-6" Conc. Box-In Pl.
Ext. Rt. 12'-3" - See Br. Sheets

P.O.T. 2360+00

Const. ℄ Survey Line

New 100' Bank Protection Type B, Std. C-23

New 20'×2'×200' Dt. & Dike

New 10'×2'×200' Dike Type B, Std. C-4

N 0°12'03" W 2239.11

1/4 Cor. Found Pipe & Brass Cap - U.S.G.L.O. 1914

B.M. # 234 - 100' Lt. Sta. 2340+00
Iron Pin & Guard Elev. 2539.14

B.M. # 235 - 100' Lt. Sta. 2350+00
Iron Pin & Guard Elev. 2545.01

B.M. # 236 - 100' Lt. Sta. 2360+00
Iron Pin & Guard Elev. 2547.60

D.A. on Rt. = 0.091 Sq. Mi.
C = 0.6 Req. 7.0 Sq. Ft.

D.A. on Rt. = 2.214 Sq. Mi.
C = 0.6 Req. 238 Sq. Ft.

REDUCED SIZE
DO NOT SCALE

2560 2550 2540

Sta. 2341+94.25-2342+16.75
2-10'×3'×29'-6" Conc. Box-In Pl.
Ext. Rt. 12'-3" - See Br. Sheets
10 C.Y. Chan. Exc.

New 100' Type B Bank Protection

New 20'×2'×200' Dt. & Dike 340 C.Y. Chan. Exc.

New Type B Dike 340 C.Y.

Sta. 2358+32.92-2358+77.08
4-10'×3'×29'-6" Conc. Box-In Pl.
Ext. Rt. 12'-3" - See Br. Sheets

Exc. 85.9 C.Y.
20% Shr. 17.2 "
Bor. 1297.4 "
15% Shr. 194.6 "
Emb. 1171.5 "

Haul 1174.4 C.Y. Bor. From Pit 1000' Rt. Sta. 2360+00

Exc. 346.8 C.Y.
20% Shr. 69.4 "
Bor. 1174.4 "
15% Shr. 176.2 "
Emb. 1275.6 " (Incl's Dike)

Haul 483.4 C.Y. Bor. From Pit 1000' Rt. Sta. 2360+00

DIN# 61400-1

EHRENBERG - WICKENBURG HWY.
MARICOPA COUNTY

FED. ROAD DIV. NO.	STATE	PROJ. NO.
7	ARIZ.	F.I. 98(21)

Sheet 15 of 25 Sheets

PLAN	SURVEYED	Sankopton	DATE
NOTE: KEEP NOTES ON E. SHEET	PLOTTED	Pollett	2-51
	ALIGNMENT CHECKED		
	RT. OF WAY CHECKED		

Pollett 5-15-52

NOTEBOOK PLOTTED & CHECKED
NOTEBOOK CHECKED & M.S. NOTED
STRUCTURE NOTATIONS CHKD.

2365 2370 2375 2380 2385 2390

T 7 N - R 7 W
T 7 N - R 6 W

Survey Line P.O.T. 2362+40.10
Survey Line P.O.T. 2370+00
Survey Line P.O.T. 2379+14.55
Survey Line P.O.T. 2383+00
P.O.T. 5189+26.35

200'
200'

12' Gate
Const. ℄
Survey Line
N 89°55'16" E
M.P. 98
Mid Sec. Line N 0°01'29" W
21' Gate

P.I. 2386+00
Δ 0°02' Lt.
90°00'
180'
R.P.
100'
R.P.

EQUATION
P.I. 2393+02.22 Off Line Bk. =
P.O.T. 5188+27.67 Carey 1948 Line Ahd.

P.I. 2393+02.22
Δ 0°02' Rt.
N 89°53'12" E
N 0°02'30" E

13 18 24 19 16

Bearing
N 89°53
N 89°59

Sta. 2393+
36"-58° C.M.P.
To Rem

STA. 2393+02.22
END F.I. 98(21)
BEG. NON F.A. 98A(1952)

REDUC
DO NC

B.M.# 237 - 120' Lt. Sta. 2370+00
Iron Pin & Guard Elev. 2557.49

B.M.# 238 - 120' Lt. Sta. 2380+00
Iron Pin & Guard Elev. 2566.92

LEVEL EQUA.

B.M.# 518 - 51' Rt. Sta. 2384+62
Elev. 2570.78 "L" Line →
Elev. 2620.79 E.E. Carey Survey of 1948

B.M.# 238-A - 120' Lt. Sta. 2386+00
Iron Pin & Guard Elev. 2570.22

600' V.C.
+4.115 %
+0.798 %
2580 2620
2560 2600
2570
2560
2550

Haul 778.5 C.Y. - 0.110 mi. = 85.6 C.Y.M. O.H.
From Sta. 2389+78

Haul 778.5 C.Y. To Sta. 2384+95

Exc. 128.6 C.Y.
20% Shr. 25.7 "
Bor. 489.4 "
15% Shr. 73.4 "
Emb. 1141.7 "
Haul In 778.5 "
20% Shr. 155.7 "

Exc. 427.9 C.Y.
20% Shr. 85.6 "
Emb. 342.3 "

Exc. 807.6 C.Y.
20% Shr. 5.8 "
Emb. 23.3 "
Haul Out 778.5 "

Sta. 2393+02.22 To End of Job
36"-58° C.M.P.
To Remain

DIN# 61400-1